


**COVID-19 Boosters  
Flu Vaccines**



1

---

---

---

---

---


---

---

---

**Agenda**

- COVID-19 Bivalent Booster Recommendations
- Annual Flu Vaccine Recommendations
- Timing
- California only COVID update



2

---

---

---

---


---

---

---

---

**COVID-19 Boosters**



3

---

---

---


---

---

---

---

---



4

---

---

---

---

---

---

---


---

---

---

### Bivalent Booster

- o EUA on August 31, 2022
- o Protection against original strain
- o Protection against Omicron variants (BA.4 and BA.5)
- o Could become an annual or routine recommendation



5

---

---

---

---

---

---

---

---

---

---

### COVID-19 Vaccine and Booster Recommendations

Age	Vaccine	Booster
6 months to 4 years	Primary series	None
5 to 11 years	Primary series	Original (monovalent) booster
12 years and older	Primary series	One Pfizer or Moderna bivalent booster
12 to 17 years	Primary	Pfizer bivalent booster

6

---

---

---

---

---

---

---

---

---

---

### What if I Already Had a Booster?

- o 12 years and older should still get the updated bivalent booster
- o 12 to 17 years should only get the Pfizer bivalent booster



7

---

---

---

---

---

---

---

---

### Definitions

**Fully Vaccinated** Completed the primary vaccine series

**Up to Date** Completed the primary vaccine series AND most recent booster recommendation



8

---

---

---

---

---

---

---

---

### Timing: Pfizer and Novavax



9

---

---

---

---

---

---

---

---

## Timing: Moderna

<b>1st Dose</b> PRIMARY SERIES	<b>2nd Dose</b> PRIMARY SERIES 4-8 weeks after 1st dose <sup>1,2</sup>	<b>3rd Dose</b> UPDATED BOOSTER At least 2 months after 2nd dose or last booster, and can be Pfizer-BioNTech or Moderna
-----------------------------------	--	---



10

---

---

---

---

---

---

---

---

## Timing: J&J

<b>1st Dose</b> PRIMARY SERIES	<b>2nd Dose</b> UPDATED BOOSTER At least 2 months after 1 <sup>st</sup> dose or last booster, and can be Pfizer-BioNTech or Moderna
-----------------------------------	---



11

---

---

---

---

---

---

---

---

## Flu Vaccines



12

---

---

---


---

---

---

---

---



13

---

---

---

---

---

---

---

---

- ### Flu Vaccines
- Can prevent the flu
  - Reduce severity of illness
  - Reduce the risk of hospitalization by up to 80%
  - Very important for our residents and staff
- ALLEN FLORES CONSULTING GROUP

14

---

---

---

---

---

---

---

---

### IT DOES NOT CAUSE THE FLU!

ALLEN FLORES CONSULTING GROUP

15

---

---

---

---

---

---

---

---

## CDC Recommendations

- o Everyone 6 months and older
- o Protection develops in about 2 weeks
- o Formulated each year for the influenza viruses expected to be circulating during flu season
- o Age appropriate formulations



16

---

---

---

---

---

---

---

---



17

---

---

---

---

---

---

---

---

## California Only Updates



18

---

---

---

---

---

---

---

---

## Unvaccinated/Boosted Staff

- o No longer have to be tested weekly
- o Beginning September 17



19

---

---

---

---

---


---

---

---

## Visitors

- o No longer have to verify vaccine status
- o No longer have to be tested
- o Beginning September 17



20

---

---

---

---

---

---

---

---

## COVID-19 Boosters Flu Vaccines



21

---

---

---

---

---

---

---

---